

PERSONAL HYGIENE

Quality equipment, securing maximum hygiene

Since 1976 💙 for hygiene

Elpress | Personal Hygiene



To be the first choice for hygienic products by developing leading solutions and providing added value while spreading our knowledge and passion for hygiene.

Conditions

No part of this document may be copied, published or otherwise made visible without the written consent of Elpress BV. The information in this brochure has been compiled with care, and no rights may be derived from it. Articles, details and colours in the displayed images may differ from the actual products. For the most recent information, please visit our website: www.elpress.com.

TABLE OF CONTENTS

Clothes cabinets and wardrobe

| About Elpress | 4 |
|--|----------|
| Personal Hygiene | 6 |
| HYGIENIC ENTRANCES / STATIONS | |
| Sole cleaning and hand disinfection | 11 |
| Sole disinfection and hand disinfection | 11 |
| Sole cleaning, shaft cleaning and hand disinfection | 12 |
| Sole cleaning, hand washing and hand disinfection | 12 |
| Sole disinfection, hand washing and hand disinfection | 13 |
| Sole cleaning, hand washing, drying and disinfection | 13 |
| Sole disinfection, hand washing, drying and disinfection | 14 |
| Double version with sole cleaning and/or sole disinfection | 15 |
| Hygiene stations | 16 |
| HAND CLEANING | |
| Single wash basins | 25 |
| Was basins | 26 |
| Double wash basins | 27 |
| Wash basins with hand dryer | 28 |
| Single wash basins with accessories | 29 |
| CHEMICAL DISPENSERS | |
| Chemical dispensers with access control | 33 |
| Chemical dispensers | 34 |
| SOLE CLEANING | |
| | 75 |
| Sole cleaners Sole and shoe side cleaners | 37 38 |
| Sole and shaft cleaners | 39 |
| | 55 |
| SOLE DISINFECTION | |
| Sole disinfection | 44 |
| HYGIENE ACCESSORIES | |
| Soap dispensers | 46 |
| Paper dispensers | 46 |
| Disposable dispensers | 47 |
| Paper baskets and bins | 47 |
| Waste bins, waste bag holders and toilet roll holders | 48 |
| Hand dryers | 49 |
| Knife holders and sterilisers | 49 |
| Hygiene accessories Apron wash places | 50 51 |
| | JI |
| DRYING AND STORAGE RACKS | |
| Boot dryers | 55 |
| Boot storage racks | 56 |
| Apron racks | 58 |
| SOCIAL ROOM EQUIPMENT | |
| Access control | 60 |
| Benches | 62 |

64

ABOUT ELPRESS

Since 1976 💛 for hygiene

Elpress is the leading manufacturer in the field of industrial hygiene. Our focus is on the delivery of total solutions: customerfocused systems that are expertly integrated into your business process. By simplifying processes and sharing knowledge, we can add value to your business with a complete product package.

INNOVATING FOR MORE THAN 45 YEARS

Elpress has been in the business of innovating for more than forty-five years. We strive constantly to maintain our lead in market developments by addressing the most divergent questions of hygiene in a highly inventive and successful way. We are proud to say that a number of our products are now viewed as the benchmark in our industry. We can only meet this high level of innovation by having a balanced team of professionals, who cover all possible disciplines, and above all by listening carefully to your requirements. In this way, we are in a position to develop, produce, deliver and maintain efficient hygiene solutions.



OUR PRODUCT GROUPS

WE ARE A TOTAL SUPPLIER

Our strength is that we are a total supplier; a single partner for all your hygiene-related affairs.



Personal Hygiene

Efficient personal hygiene cannot be underestimated, especially not in production environments where contamination via people is a risk factor.

| <u> </u> |
|----------|
|----------|

Cleaning Systems

Our cleaning systems are extremely efficient, thrifty in the use of water and power, low maintenance and easy to operate.



Industrial Washing Systems Our industrial washing systems let you clean load carriers, crates, pallets or boxes. For an efficient way to handle costs and the environment.



Components

Whether it's a high-pressure gun, spray nozzle or cleaning hose, our complete product range enables us to offer you a solution for every challenge.



Drainage

Elpress drains and gutters are of excellent and proven quality. The rounded shapes and smooth finish ensure that the water and dirt are removed without impediment.



Mechanical Handling Systems

The various lifts and tippers are designed to relieve your employees from having to do heavy lifting and are ideal for the accelerated emptying of load carriers.

EFFICIENT PERSONAL HYGIENE FUNCTIONAL, HIGH-QUALITY AND HYGIENICALLY DESIGNED

Efficient personal hygiene can not be underestimated, especially in production environments where the risk of contamination poses great danger. Whether it's a wash basin, apron cleaner or a built-in hygienic entrance, our complete product range enables us to offer you a solution for every challenge. Our systems are produced in-house with an Elpress feel; functional, high-quality and hygienically designed.

The 5 key elements of Personal Hygiene

In the food industry, there is a lot of contact between employees and food. Therefore it is important for the clothing and bodies of employees to be extremely hygienic. After all, you don't want dirt and bacteria finding their way into the food. Working in a hygienic manner avoids contamination and lets you avoid all risks as a manufacturer. Within the field of personal hygiene,

there are 5 important elements:

Soaping and washing hands

Washing the hands is the first important step in personal hygiene. Thorough cleaning removes microorganisms.

2 Drying hands

To be sure that micro-organisms are removed, drying the hands is just as important. This can be done with an electric hand dryer or with paper towels.

3 Disinfecting hands

Research has shown that a combination of washing and disinfecting the hands is the best way to remove most of the micro-organisms present on them

4 Cleaning / Disinfecting soles

Footwear carries visible and invisible dirt. A disinfectant is used to remove invisible micro-organisms. This is done through mechanical cleaning with brushes or by walking through a disinfection bath.

5 Access control

The access control requires one or more actions to be completed before a worker can proceed to the next section or area. An access control requires employees to act hygienically, which helps improve hygiene standards.



Ĵ

Hygiene Selector

Do you want to know which hygiene entrance layout best suits your business? Then fill in the Hygiene Selector. Five steps show you in a quick and easy way what your hygiene entrance has to comply with. You will be sent an free advise about a hygiene entrance for your company.

- Number of usersRequired hygiene elements

A customised hygiene configuration

Setting up a hygienic area is a process that is

particularly diverse and effective.

closely coordinated to the needs and wishes of

each organisation. That is why Elpress products are

We would be happy to work with you to create a total


concept for your company to ensure that you're ready

to start work in the most hygienic way possible to suit your situation and budget. Factors that play a role in putting together a customised hygiene configuration

- Available space
- Budget

include:





ELPRESS QUALITY, MADE IN HOLLAND EXTREMELY SMART HYGIENE PRODUCTS

Do you want to increase levels of personal hygiene in your company? You can with the products from Elpress. Our products are designed right down to the details. We would be happy to work with you to create a total concept for your company to ensure that you're ready to start work in the most hygienic way possible.

> "Given the size of our poultry slaughterhouse in Maasmechelen, our challenge was to find a hygiene solution that let our staff pass through quickly. Right from the outset, Elpress left a strong impression as an adviser."

> > Marcel van den Heuvel



Service

Service is our keyword. Because even after you invest in our products, we continue working with you. We have the equipment and knowledge required for maintenance and/ or repairs. This enables us to provide you with optimal disposal in the short and long term. A complete package of solutions, always with a strong focus on you as our customer.

HACCP International certified

Elpress is the first, and so far the only,




manufacturer of hygienic entrances in the world whose products are independently recognised for supporting your HACCP environment.

4-year warranty on brushes

Our brushes are made from food-safe, robust materials. The quality of these brushes is

confirmed daily by dozens of companies. We provide a full warranty of four years on our brushes as standard.





HYGIENIC ENTRANCES / STATIONS

Sustainable and innovative hygienic entrances

Our hygienic entrances are made from stainless steel with a **low surface roughness**, which ensures less contamination and better cleanability. In addition, our environmentally friendly hygienic entrances have few seams and gaps for a **perfect hygienic finish**. The innovation in our products thus begins right with the hygienic design of the product itself.

Personal hygiene with access control

The food-safe hygienic entrances can clean the soles of footwear and disinfect the hands at the same time, allowing your personnel to **pass through the cleaning process quickly and efficiently,** thus saving time. A turnstile ensures that a hygiene check takes place before the employees enter the production area. Selectable checks cover the washing and disinfecting of both hands and the length of the contact time. An access control offers you many advantages.

Available as a right or left version

Our hygienic entrances are available in both right and left versions. In the right-hand version, the hygiene components, such as the disinfection cylinders, are on the right-hand side.

The reverse is true for the left-hand version. This flexibility lets you take account of the setup, where, for example, a mirrored back-to-back setup is possible for the installation of multiple entrances.





Left-hand version (L)

THESE PRODUCTS ARE:

- Available as an built-in model
- Connectable to centralised chemical supplies
- Connectable to a person or time registration system







SOLE CLEANING AND HAND DISINFECTION



The DZW-HDT does two things at once: it cleans the soles and disinfects the hands. After the hands have been disinfected, the turnstile is released and the employee can proceed to the next area.



| Гуре | DZW-HDT-500-R/L | DZW-HDT-700-R/L | DZW-HDT-1000-R/L | DZW-HDT-1500-R/L |
|--------------------|-----------------|-----------------|------------------|------------------|
| Article number (R) | 83201980 | 83202000 | 83202040 | 83202080 |
| Article number (L) | 83201990 | 83202020 | 83202060 | 83202100 |
| Width / mm | 901 | 918 | 918 | 918 |
| Height / mm | 1846 | 1513 | 1513 | 1513 |
| Length / mm | 1493 | 1825 | 2125 | 2640 |
| Brush length / mm | 500 | 700 | 1000 | 1500 |
| Voltage / VAC | 3x 380-400 | 3x 380-400 | 3x 380-400 | 3x 380-400 |
| Frequency / Hz | 50-60 | 50-60 | 50-60 | 50-60 |
| Power / kW | 1 | 1 | 1 | 1 |

SOLE DISINFECTION AND HAND DISINFECTION



The DZD-HDT does two things at once: it disinfects the soles and disinfects the hands. After the hands have been disinfected, the turnstile is released and the employee can proceed to the next area.



| DZD-HDT-500-R/L | DZD-HDT-1000-R/L | DZD-HDT-1500-R/L |
|-----------------|---|---|
| 83203080 | 83203000 | 83203040 |
| 83203090 | 83203020 | 83203060 |
| 908 | 948 | 948 |
| 1590 | 1247 | 1247 |
| 973 | 1919 | 2434 |
| 26 | 34 | 37 |
| 1x 230 | 1x 230 | 1x 230 |
| 50-60 | 50-60 | 50-60 |
| 0.5 | 1 | 1 |
| | 83203080 83203090 908 1590 973 26 1x 230 50-60 | 83203080 83203000 83203090 83203020 908 948 1590 1247 973 1919 26 34 1x 230 1x 230 50-60 50-60 |

SOLE CLEANING, SHAFT CLEANING AND HAND DISINFECTION

DZW-HDT-EDSW



The DZW-HDT-EDSW is a hygienic entrance which cleans the soles and disinfects the hands at the same time. This means your personnel can proceed quickly and efficiently through the cleaning process. When using the shaft cleaner, the sides and shafts of the boots are cleaned.

| Туре | DZW-HDT-EDSW-500-R/L |
|--------------------|----------------------|
| Article number (R) | 83202019 |
| Article number (L) | 83202017 |
| Width / mm | 908 |
| Height / mm | 1247 |
| Length / mm | 2207 |
| Brush length / mm | 500 |
| Voltage / VAC | 3x 380-400 |
| Frequency / Hz | 50-60 |
| Power / kW | 2 |



DZW-HDT-EDSW-500-R

SOLE CLEANING, HAND WASHING AND HAND DISINFECTION

SANICARE-B

| | | | | | | |
|---|------|------|----------------|---------------------|------|-------|
| M | | (7g | 40 | 4 Years Warranty | | (304) |
| | | 80 | and the second | on brushes | 3000 | |

With the SANICARE-B, you stand on the cleaning brushes while you wash your hands. You can optionally dry your hands with paper and then disinfect your hands in the disinfection cylinders. After the hands have been disinfected, the turnstile is released and the employee can proceed to the next area.

| Туре | SANICARE-500-B-R/L | SANICARE-1000-B-R/L | SANICARE-1500-B-R/L |
|--------------------|--------------------|---------------------|---------------------|
| Article number (R) | 83203940 | 83204000 | 83204040 |
| Article number (L) | 83203920 | 83204020 | 93204060 |
| Width / mm | 908 | 948 | 948 |
| Height / mm | 1237 | 1364 | 1364 |
| Length / mm | 973 | 1919 | 2434 |
| Brush length / mm | 500 | 1000 | 1500 |
| Voltage / VAC | 3x 380-400 | 3x 380-400 | 3x 380-400 |
| Frequency / Hz | 50-60 | 50-60 | 50-60 |
| Power / kW | 1 | 1 | 1 |



SANICARE-1000-B-R with optional paper dispenser and paper basket.

SOLE DISINFECTION, HAND WASHING AND HAND DISINFECTION

SANICARE-D



With SANICARE-D, you stand in the disinfection bath while you wash your hands. You can optionally dry your hands with paper and then disinfect your hands in the disinfection cylinders. After the hands have been disinfected, the turnstile is released and the employee can proceed to the next area.

| Туре | SANICARE-1000-D-R/L | SANICARE-1500-D-R/L |
|-------------------------|---------------------|---------------------|
| Article number (R) | 83204100 | 83204140 |
| Article number (L) | 83204120 | 83204160 |
| Width / mm | 948 | 948 |
| Height / mm | 1364 | 1364 |
| Length / mm | 1919 | 2434 |
| Disinfection bath / ltr | 34 | 37 |
| Voltage / VAC | 1x 230 | 1x 230 |
| Frequency / Hz | 50-60 | 50-60 |
| Power / kW | 0.5 | 0.5 |



SANICARE-1000-D-R with optional paper dispenser and paper basket.

SOLE CLEANING, HAND WASHING, DRYING AND DISINFECTION

SANICARE-DYSON-B



With the SANICARE-DYSON-B, you stand on the cleaning brushes while you wash your hands. You dry your hands in the Dyson AirbladeTM. After the hands have been disinfected, the turnstile is released and the employee can proceed to the next area.

| Туре | SANICARE-DYSON 500-B-R/L | SANICARE-DYSON 1000-B-R/L | SANICARE-DYSON 1500-B-R/L |
|--------------------|-----------------------------|------------------------------|------------------------------|
| Article number (R) | 83204540 | 83204500 | 83204200 |
| Article number (L) | 83204560 | 83204520 | 83204220 |
| Width / mm | 1113 | 1113 | 918 |
| Height / mm | 1513 | 1630 | 1630 |
| Length / mm | 1825 | 2125 | 2640 |
| Brush length / mm | 500 | 1000 | 1500 |
| Voltage / VAC | 3x 380-400 | 3x 380-400 | 3x 380-400 |
| Frequency / Hz | 50-60 | 50-60 | 50-60 |
| Power / kW | 2.6 | 2.6 | 2.6 |



SANICARE-DYSON-1500-B-R

SOLE DISINFECTION, HAND WASHING, DRYING AND DISINFECTION

SANICARE-DYSON-D



With the SANICARE-DYSON-D, you stand in the disinfection bath while you wash your hands. You dry your hands in the Dyson Airblade[™]. After the hands have been disinfected, the turnstile is released and the employee can proceed to the next area.

| Туре | SANICARE-DYSON 500-D-R/L | SANICARE-DYSON 1000-D-R/L | SANICARE-DYSON 1500-D-R/L |
|-------------------------|-----------------------------|------------------------------|------------------------------|
| Article number (R) | 83204570 | 83204590 | 83204300 |
| Article number (L) | 83204580 | 83204600 | 83204320 |
| Width / mm | 1113 | 1113 | 918 |
| Height / mm | 1407 | 1524 | 1524 |
| Length / mm | 1608 | 1938 | 2558 |
| Disinfection bath / ltr | 28 | 34 | 37 |
| Voltage / VAC | 3x 380-400 | 3x 380-400 | 3x 380-400 |
| Frequency / Hz | 50-60 | 50-60 | 50-60 |
| Power / kW | 2.1 | 2.1 | 2.1 |



SOLE CLEANING, HAND WASHING, DRYING AND DISINFECTION

SANICARE-TAP-B

| A Years Warranty on brushes | 6 (O) 304 |
|-----------------------------------|------------------|

With the SANICARE-TAP-B, you stand on the cleaning brushes while you wash your hands and then dry them with the Dyson Airblade[™] Wash+Dry. After the hands have been disinfected, the turnstile is released and the employee can proceed to the next area.

| Туре | SANICARE-TAP-1500-B-R/L |
|--------------------|-------------------------|
| Article number (R) | 83204800 |
| Article number (L) | 83204900 |
| Width / mm | 1113 |
| Height / mm | 1524 |
| Length / mm | 2640 |
| Brush length / mm | 1500 |
| Voltage / VAC | 3x 380-400 |
| Frequency / Hz | 50-60 |
| Power / kW | 2.6 |



SANICARE-TAP-1500-B-R

DOUBLE VERSION WITH SOLE CLEANING AND DISINFECTION

COMBI-BD



The COMBI-BD is ideal for processing large numbers of people on a daily basis. Upon entering, the soles and hands are disinfected. During exit, the soles are cleaned and the hands are optionally disinfected (DD). Secure passage is always ensured by the turnstile.

| Туре | COMBI-BD-D-1500-R/L | COMBI-BD-DD-1500-R/L |
|-------------------------|---------------------|----------------------|
| Article number (R) | 83205000 | 83205100 |
| Article number (L) | 83205020 | 83205120 |
| Width / mm | 1640 | 1640 |
| Height / mm | 1558 | 1558 |
| Length / mm | 2640 | 2640 |
| Brush length / mm | 1500 | 1500 |
| Disinfection bath / ltr | 37 | 37 |
| Voltage / VAC | 3x 380-400 | 3x 380-400 |
| Frequency / Hz | 50-60 | 50-60 |
| Power / kW | 1.5 | 1.5 |



DOUBLE VERSION WITH SOLE CLEANING

COMBI-BB

| ,, | | | |
|--------|----|-----------------------------------|--------|
| | 28 | 4 Years Warranty on brushes | ∞ ×2 |

The COMBI-BB is ideal for processing large numbers of people on a daily basis. This hygienic entrance can be used either as a double entrance or as a double exit, with the soles being cleaned and the hands disinfected. Secure passage is always ensured by the turnstile.

| Туре | COMBI-BB-D-1500-R/L | COMBI-BB-DD-1500* |
|--------------------|---------------------|----------------------------|
| Article number (R) | 83205200 | 83205300 |
| Article number (L) | 83205220 | * double entrance and exit |
| Width / mm | 1640 | 1640 |
| Height / mm | 1558 | 1558 |
| Length / mm | 2640 | 2640 |
| Brush length / mm | 1500 | 1500 |
| Voltage / VAC | 3x 380-400 | 3x 380-400 |
| Frequency / Hz | 50-60 | 50-60 |
| Power / kW | 2 | 2 |



DOUBLE VERSION WITH SOLE CLEANING AND DISINFECTION

SANICARE-DYSON-COMBI



The SANICARE-DYSON-COMBI functions as a controlled entrance and exit. Upon entering, your soles are disinfected and your hands are washed, dried and disinfected. The turnstile is released only once hand disinfection is complete. When exiting, the soles are cleaned.

| Туре | SANICARE-DYSON-COMBI-BD-1500-R/L |
|-------------------------|----------------------------------|
| Article number (R) | 83204400 |
| Article number (L) | 83204410 |
| Width / mm | 1651 |
| Height / mm | 1640 |
| Length / mm | 2640 |
| Brush length / mm | 1500 |
| Disinfection bath / ltr | 37 |
| Voltage / VAC | 3x 380-400 |
| Frequency / Hz | 50-60 |
| Power / kW | 2.7 |



SANICARE-DYSON-COMBI-BD-1500-R

HYGIENE STATION



By placing the sole of your shoe on the brush and holding the handle, the soles and sides of your shoes are cleaned at the same time. You can also wash your hands in the integrated wash basin. Optionally available with paper dispenser and paper basket for hand drying.

| Туре | EWG-EZR FLOOR MODEL | EWG-EZR WALL MODEL |
|----------------|---------------------|--------------------|
| Article number | 83207070 | 83207075 |
| Width / mm | 497 | 497 |
| Depth / mm | 442 | 442 |
| Height / mm | 1443 | 1443 |
| Voltage / VAC | 1x 230 | 1x 230 |
| Frequency / Hz | 50-60 | 50-60 |
| Power / kW | 0.2 | 0.2 |



EWG-EZR DELUXE

| | | |
|-----------------------------------|--------------|-----|
| 4 Years Warranty on brushes | (\bigcirc) | 304 |

By placing the sole of your shoe on the brush and holding the handle at the same time, the soles and sides of your shoes are cleaned. You can also wash your hands in the integrated wash basin. The DELUXE variant is a more robust design with integrated chemical supply and a wider brush.

| Туре | EWG-EZR DELUXE FLOOR MODEL |
|----------------|----------------------------|
| Article number | 83207070-D |
| Width / mm | 971 |
| Depth / mm | 404 |
| Height / mm | 1331 |
| Voltage / VAC | 3x 380-400 |
| Frequency / Hz | 50-60 |
| Power / kW | 0.3 |

_....

| EWG-EZR DELUXE W | ALL MODEL |
|------------------|-----------|
| 83207075-D | |
| 971 | |
| 404 | |
| 1331 | |
| 3x 380-400 | |
| 50-60 | |
| 0.3 | |



HYGIENE STATION



The EWG-EZR-P ensures that you can wash, disinfect and dry your hands. In addition, this hygiene station also ensures that your soles are cleaned.

| Туре | EWG-EZR-P |
|----------------|------------|
| Article number | 83207070-P |
| Width / mm | 1104 |
| Depth / mm | 442 |
| Height / mm | 1782 |
| Voltage / VAC | 1x 230 |
| Frequency / Hz | 50-60 |
| Power / kW | 0.3 |



EWG-EZR-V

| 4 Years Warranty on brushes | | 304 | 12 sec |
|-----------------------------------|------|-----|------------------|
| on brushes | 1001 | | sec |

The EWG-EZR-V ensures that you can wash, disinfect and dry your hands. In addition, this hygiene station also ensures that your soles are cleaned. The Dyson-Airblade-V ensures that your hands are dry within 12 seconds.

| Туре | EWG-EZR-V |
|----------------|------------|
| Article number | 83207070-V |
| Width / mm | 1225 |
| Depth / mm | 442 |
| Height / mm | 1443 |
| Voltage / VAC | 1x 230 |
| Frequency / Hz | 50-60 |
| Power / kW | 1.2 |



HYGIENE STATION

SANICARE-WM

| | | | | _ |
|----------------------|----------------|----------------|---------------------|---|
| | | | | |
| | II T IA II C S | | <u>(</u> O) (304) | |
| | | täffamkeanst U | | |

With the SANICARE-WM, you can wash and disinfect your hands. You can optionally dry your hands with paper and then disinfect your hands in the disinfection cylinders. After the hands have been disinfected, the turnstile is released and the employee can proceed to the next area.

| Туре | SANICARE-WM-R/L |
|--------------------|-----------------|
| Article number (R) | 83204700 |
| Article number (L) | 83204720 |
| Width / mm | 1368 |
| Depth / mm | 851 |
| Height / mm | 767 |
| Voltage / VAC | 1x 230 |
| Frequency / Hz | 50-60 |
| Power / kW | 0.2 |



SANICARE



With the SANICARE, you can wash and disinfect your hands. You can optionally dry your hands with paper and then disinfect your hands in the disinfection cylinders. After the hands have been disinfected, the turnstile is released and the employee can proceed to the next area.

| Туре | SANICARE-R/L |
|--------------------|--------------|
| Article number (R) | 83204080 |
| Article number (L) | 83204090 |
| Width / mm | 1480 |
| Depth / mm | 795 |
| Height / mm | 1325 |
| Voltage / VAC | 1x 230 |
| Frequency / Hz | 50-60 |
| Power / kW | 0.2 |



SANICARE-R with optional paper dispenser and paper basket.

HYGIENE STATION

SANICARE-DYSON

| | | | 1 |
|----------|----------------|-------------|---|
| <u> </u> | <u>↑</u> ¶ (78 | | |
| | | it interest | |

After washing your hands, you dry them in the Dyson Airblade[™], after which your dry hands are disinfected. After the hands have been disinfected, the turnstile is released and the employee can proceed to the next area.

| Туре | SANICARE-DYSON-R/L |
|--------------------|--------------------|
| Article number (R) | 83204240 |
| Article number (L) | 83204250 |
| Width / mm | 2640 |
| Depth / mm | 918 |
| Height / mm | 1630 |
| Voltage / VAC | 1x 230 |
| Frequency / Hz | 50-60 |
| Power / kW | 2 |



SANICARE-DYSON-R

SANICARE-EZR



By placing the sole of your shoe on the brush and holding the handle at the same time, your shoes are cleaned. After soaping and washing your hands, you can optionally dry them with paper and then disinfect your hands in the disinfection cylinders. After using the hand disinfectant, the turnstile is released.

| Туре | SANICARE-EZR-R/L |
|--------------------|------------------|
| Article number (R) | 83201115 |
| Article number (L) | 83201110 |
| Width / mm | 2175 |
| Depth / mm | 815 |
| Height / mm | 1795 |
| Voltage / VAC | 3x 380-400 |
| Frequency / Hz | 50-60 |
| Power / kW | 0.2 |




SANICARE-EZR

HYGIENIC ENTRANCES / STATIONS










ij /

0

Elpress | Personal Hygiene | 21

HYGIENIC ENTRANCES / STATIONS







22



Sole cleaning with the DZW-HDT-1000-R





Washing hands in a SANICARE-1500-B-R

72

HAND CLEANING

Wash basins in various designs

Elpress gives you the choice of different types of sinks. For example, we supply single wash basins, which are available in various designs. Our product range also includes wash troughs, which can be used by several people at once. Double back-to-back versions are also an option. All wash basins have the following advantages and/or properties:

- Ergonomically designed
- Made of stainless steel
- Automatic Flushing System (if sensor-operated)
- Sloped design so the water does not lie in the corners of sinks.
- Enough depth to wash your underarms
- Thermal mixing tap, adjustable to the desired temperature
- Connections supplied with dirt trap and non-return valve
- Hanger and siphon with odour trap supplied

Sensor or knee operated

Elpress wash basins are available with sensor operation or knee operation. Both variants provide hands-free operation. As a result, the risk of contamination is lowered. Sensor-operated sinks need a power connection, while knee-operated sinks are controlled by a self-closing valve. In other words, knee-operated sinks can be installed without the need for an electrical connection.

Automatic Flushing System

Our sensor-operated wash basins are equipped with an automatic flushing cycle which works when the wash basin is not in use. Flushing can be set to between 24 and 78 hours after the last use. Flushing the lines in this way counteracts any accumulation of bacteria.





SINGLE WASH BASIN WITH SENSOR OR KNEE OPERATION



Single wash basin with sensor or knee operation

| Туре | EWG-1S | EWG-1K |
|----------------|-----------------|---------------|
| | Sensor operated | Knee operated |
| Article number | 83207015 | 83207115 |
| Width / mm | 503 | 503 |
| Depth / mm | 461 | 461 |
| Height / mm | 813 | 813 |
| Voltage / VAC | 1x 230 | - |
| Frequency / Hz | 50-60 | - |
| Power / kW | 0.1 | - |



SINGLE WASH BASIN WITH SENSOR OR KNEE OPERATION

EWG-1 DELUXE



Single wash basin with sensor or knee operation. The Deluxe version has a luxury rounded finish.

| Туре | EWG-1S DELUXE | EWG-1K DELUXE |
|----------------|-----------------|---------------|
| | Sensor operated | Knee operated |
| Article number | 83207010 | 83207110 |
| Width / mm | 430 | 430 |
| Depth / mm | 453 | 453 |
| Height / mm | 762 | 762 |
| Voltage / VAC | 1x 230 | - |
| Frequency / Hz | 50-60 | - |
| Power / kW | 0.1 | - |



WASH BASINS WITH SENSOR OPERATION

EWG-2S TO EWG-6S

Wash basins with sensor operation. 2 to 6 wash areas.



EWG-3S with optional manual soap dispensers

| Туре | EWG-2S | EWG-3S | EWG-4S | EWG-5S | EWG-6S |
|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| | Sensor operated |
| Wash areas | 2 | 3 | 4 | 5 | 6 |
| Article number | 83207020 | 83207030 | 83207040 | 83207050 | 83207060 |
| Width / mm | 975 | 1475 | 1975 | 2475 | 2975 |
| Depth / mm | 546 | 546 | 546 | 546 | 546 |
| Height / mm | 760 | 760 | 760 | 760 | 760 |
| Voltage / VAC | 1x 230 |
| Frequency / Hz | 50-60 | 50-60 | 50-60 | 50-60 | 50-60 |
| Power / kW | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |

WASH BASINS WITH KNEE OPERATION

EWG-2K TO EWG-6K



Wash basins with knee operation. 2 to 6 wash areas.



| Туре | EWG-2K | EWG-3K | EWG-4K | EWG-5K | EWG-6K |
|----------------|---------------|---------------|---------------|---------------|---------------|
| | Knee operated |
| Article number | 83207120 | 83207130 | 83207140 | 83207150 | 83207160 |
| Wash areas | 2 | 3 | 4 | 5 | 6 |
| Width / mm | 975 | 1475 | 1975 | 2475 | 2975 |
| Depth / mm | 546 | 546 | 546 | 546 | 546 |
| Height / mm | 760 | 760 | 760 | 760 | 760 |

DOUBLE WASH BASINS WITH SENSOR OPERATION

EWG-2S-D TO EWG-6S-D

Double wash basins with sensor operation. 4 to 12 wash areas.



| Туре | EWG-2S-D | EWG-3S-D | EWG-4S-D | EWG-5S-D | EWG-6S-D |
|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| | Sensor operated |
| Article number | 83207220 | 83207230 | 83207240 | 83207250 | 83207260 |
| Wash areas | 4 | 6 | 8 | 10 | 12 |
| Width / mm | 975 | 1475 | 1975 | 2475 | 2975 |
| Depth / mm | 1179 | 1179 | 1179 | 1179 | 1179 |
| Height / mm | 1342 | 1342 | 1342 | 1342 | 1342 |
| Voltage / VAC | 1x 230 |
| Frequency / Hz | 50-60 | 50-60 | 50-60 | 50-60 | 50-60 |
| Power / kW | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |

DOUBLE WASH BASINS WITH KNEE OPERATION

EWG-2K-D TO EWG-6K-D



Double wash basins with knee operation. 4 to 12 wash areas.



| Туре | EWG-2S-D | EWG-3S-D | EWG-4S-D | EWG-5S-D | EWG-6S-D |
|----------------|---------------|---------------|---------------|---------------|---------------|
| | Knee operated |
| Article number | 83207120 | 83207130 | 83207140 | 83207150 | 83207160 |
| Wash areas | 4 | 6 | 8 | 10 | 12 |
| Width / mm | 975 | 1475 | 1975 | 2475 | 2975 |
| Depth / mm | 1179 | 1179 | 1179 | 1179 | 1179 |
| Height / mm | 1342 | 1342 | 1342 | 1342 | 1342 |

WASH BASINS WITH HAND DRYER

EWG-1S-TAP TO EWG-6S-TAP



Wash basins with sensor tap and hand dryer in one. After washing your hands, the Dyson Airblade™ Wash+Dry hand dryer delivers a powerful stream of air to dry your hands..



EWG-2S-TAP

| Туре | EWG-1S-TAP | EWG-2S-TAP | EWG-3S-TAP | EWG-4S-TAP | EWG-5S-TAP | EWG-6S-TAP |
|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| | Sensor operated |
| Wash areas | 1 | 2 | 3 | 4 | 5 | 6 |
| Article number | 83207410 | 83207420 | 83207430 | 83207440 | 83207450 | 83207460 |
| Width / mm | 503 | 1003 | 1503 | 2003 | 2503 | 3003 |
| Depth / mm | 615 | 615 | 615 | 615 | 615 | 615 |
| Height / mm | 1290 | 1290 | 1290 | 1290 | 1290 | 1290 |
| Voltage / VAC | 1x 230 |
| Frequency / Hz | 50-60 | 50-60 | 50-60 | 50-60 | 50-60 | 50-60 |
| Power / kW | 1.6 | 3.2 | 4.8 | 6.4 | 8 | 9.6 |

WASH BASINS WITH HAND DRYER

EWG-1S-TAP TO EWG-6S-TAP WALL MODEL



Wash basins with sensor tap and hand dryer in a wall model. After washing your hands, the Dyson Airblade™ Wash+Dry hand dryer delivers a powerful stream of air to dry your hands.



EWG-3S-TAP WALL MODEL

| Туре | EWG-1S-TAP WALL MODEL | EWG-2S-TAP WALL MODEL | EWG-3S-TAP WALL MODEL | EWG-4S-TAP WALL MODEL | EWG-5S-TAP WALL MODEL | EWG-6S-TAP WALL MODEL |
|----------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| | Sensor operated |
| Wash areas | 1 | 2 | 3 | 4 | 5 | 6 |
| Article number | 83207411 | 83207421 | 83207431 | 83207441 | 83207451 | 83207461 |
| Width / mm | 503 | 1003 | 1503 | 2003 | 2503 | 3003 |
| Depth / mm | 615 | 615 | 615 | 615 | 615 | 615 |
| Height / mm | 1375 | 1375 | 1375 | 1375 | 1375 | 1375 |
| Voltage / VAC | 1x 230 |
| Frequency / Hz | 50-60 | 50-60 | 50-60 | 50-60 | 50-60 | 50-60 |
| Power / kW | 1.6 | 3.2 | 4.8 | 6.4 | 8 | 9.6 |

SINGLE WASH BASIN WITH ACCESSORIES

EWG HYGIENE WALL



Fully sensor-controlled single wash basin mounted on a stainless steel wall. The hygiene wall includes a paper dispenser and paper basket.



| Туре | EWG HYGIENE WALL | |
|----------------|------------------|--|
| | Sensor operated | |
| Article number | 83207081 | |
| Wash areas | 1 | |
| Width / mm | 1000 | |
| Depth / mm | 530 | |
| Height / mm | 1063 | |
| Voltage / VAC | 1x 230 | |
| Frequency / Hz | 50-60 | |
| Power / kW | 0.1 | |

HAND CLEANING





EWG-2S with soap dispensers





CHEMICAL DISPENSERS

How does a chemical dispenser work?

A chemical dispenser is filled with disinfectant or soap and is located just outside your production area.

It works as follows:

- Insert your hands into the cylinders.
- Sensors automatically dispense the disinfectant or soap.
- The turnstile is released.
- Free passage is enabled.

Wall or floor mounting

Chemical dispensers are available as a wall or floor-mounted model. The wall-mounted models are easily fixed to the wall.

Advantages of Elpress chemical dispensers

Our chemical dispensers have various advantages:

- Space for 5 litres of chemical, which means it does not have to be constantly topped off.
- A level indicator, so that you know exactly when it's time to top off.
- Possibility to set the duration of the chemical dosing yourself.
 This lets you determine the amount of chemicals used per user.
- The release time of the turnstile can also be modified.
- The wall mounted model can optionally be placed on a floor-mounted frame.

CHEMICAL DISPENSER WITH ACCESS CONTROL



The HDT / HST is an automatic dispenser. When the hands are inserted into the cylinders, sensors activate the dispensing of the disinfectant or the soap. After this, the turnstile is released and the user can proceed to the next step in the hygienic process.

| Туре | HDT-R/L | HST-R/L |
|--------------------|--------------|----------|
| | Disinfectant | Soap |
| Article number (R) | 83201050 | 83201055 |
| Article number (L) | 83201060 | 83201065 |
| Width / mm | 1455 | 1455 |
| Depth / mm | 791 | 791 |
| Height / mm | 1207 | 1207 |
| Voltage / VAC | 1x 230 | 1x 230 |
| Frequency / Hz | 50-60 | 50-60 |
| Power / kW | 0.1 | 0.1 |



HDT-R / HST-R

CHEMICAL DISPENSER WITH ACCESS CONROL

HDT-WM / HST-WM

| | ↑ ₽ (28 | | | (\bigcirc) | 304 | |
|--|----------------|--|--|--------------|-----|--|
|--|----------------|--|--|--------------|-----|--|

The HDT-WM/ HST-WM is an automatic dispenser in a wall model. When the hands are inserted into the cylinders, sensors activate the dispensing of the disinfectant or the soap. After this, the turnstile is released and the user can proceed to the next step in the hygienic process.



| Туре | HDT-WM-R/L | HST-WM-R/L | FLOOR-MOUNTING FRAME |
|--------------------|--------------|------------|----------------------|
| | Disinfectant | Soap | - |
| Article number (R) | 83201000 | 83201005 | 83201070 |
| Article number (L) | 83201010 | 83201015 | 83201070 |
| Width / mm | 890 | 890 | 400 |
| Depth / mm | 817 | 817 | 230 |
| Height / mm | 1229 | 1229 | 1471 |
| Voltage / VAC | 1x 230 | 1x 230 | - |
| Frequency / Hz | 50-60 | 50-60 | - |
| Power / kW | 0.1 | 0.1 | - |

Elpress | Personal Hygiene | 33

CHEMICAL DISPENSER

HD-WM / HS-WM



The HD-WM/ HS-WM is an automatic dispenser. When the hands are inserted into the cylinders, sensors activate the dispensing of the disinfectant or the soap.



| Туре | HD-WM | HS-WM | FLOOR-MOUNTING FRAME |
|----------------|--------------|----------|----------------------|
| | Disinfectant | Soap | - |
| Article number | 83201020 | 83201025 | 83201070 |
| Width / mm | 721 | 721 | 400 |
| Depth / mm | 339 | 339 | 230 |
| Height / mm | 1229 | 1229 | 1471 |
| Voltage / VAC | 1x 230 | 1x 230 | - |
| Frequency / Hz | 50-60 | 50-60 | - |
| Power / kW | 0.1 | 0.1 | - |

HD-WM/HS-WM

(MOBILE) CHEMICAL DISPENSER



The EHI is an automatic dispenser for hand disinfectant containing alcohol. When the hands are inserted into the cylinders, sensors activates the dispensing of the disinfectant or the soap. The EHI can be easily moved around with an optional mobile frame.

| Туре | EHI | MOBILE FRAME |
|----------------|----------------------|--------------|
| | Disinfectant or soap | - |
| Article number | 83201400 | 83201410 |
| Width / mm | 210 | 550 |
| Depth / mm | 210 | 400 |
| Height / mm | 900 | 1520 |
| Voltage / VAC | 1x 230 | - |
| Frequency / Hz | 50-60 | - |
| Power / kW | 0.1 | - |



CHEMICAL DISPENSERS



221

HDT-WM-L on floor-mounting frame

HDT-L and HDT-R connected to person and time registration system





SOLE CLEANING

Effective and practical

Elpress supplies sole cleaners in a wide range of designs which are suitable for shoes, clogs and boots. We make a distinction between three elements:

- Soles
- Sides
- Shafts

In the most complete version, both the **soles, the shoe sides and the shafts** are cleaned for maximum hygiene.

Advantages of Elpress sole cleaners

- 4-year warranty on brushes
- Manual or automatic sensor operation
- Hygienic construction and surface finish
- The right model for every situation
- Reduces risk of contamination
- Ergonomically designed



36

WALKTHROUGH SOLE CLEANER



Users walk across the DZW while the soles are cleaned by the rotating brushes. As the user walks through, in both directions, the rotating brushes are automatically wet with water and chemicals and activated by means of sensors..

| Туре | DZW-1000-R/L | DZW-1500-R/L |
|--------------------|--------------|--------------|
| Article number (R) | 83202200 | 83202240 |
| Article number (L) | 83202220 | 83202260 |
| Width / mm | 890 | 890 |
| Height / mm | 1286 | 1286 |
| Length / mm | 2125 | 2640 |
| Brush length / mm | 1000 | 1500 |
| Voltage / VAC | 3x 380-400 | 3x 380-400 |
| Frequency / Hz | 50-60 | 50-60 |
| Power / kW | 1 | 1 |



SOLE CLEANERS



By placing the sole of your shoe on the brush and holding the handle at the same time, the sole is cleaned. The EZW works via a sensor on the handle. The unit is compact and fits easily into smaller spaces.

| Туре | EZW |
|----------------|----------|
| Article number | 83206020 |
| Width / mm | 507 |
| Depth / mm | 545 |
| Height / mm | 898 |
| Voltage / VAC | 1x 230 |
| Frequency / Hz | 50-60 |
| Power / kW | 0.37 |



WALKTHROUGH SOLE AND SHOE SIDE CLEANER

| EDZ | ZW | | |
|-----|----|-----------------------------------|-----|
| | | 4 Years Warranty on brushes | 304 |

Upon entering the unit, sensors automatically activate the rotation of the brushes and your soles and shoe sides are cleaned. The walkthrough principle saves cleaning time.

| Туре | EDZW |
|----------------|------------|
| Article number | 83206015 |
| Width / mm | 890 |
| Height / mm | 1286 |
| Length / mm | 1645 |
| Voltage / VAC | 3x 380-400 |
| Frequency / Hz | 50-60 |
| Power / kW | 0.9 |



SOLE AND SHOE SIDE CLEANER



When you place the sole of your shoe on the brush and hold the handle at the same time, the sole and shoe sides are cleaned. The brushes activate via a button on the grip. The EZR is also available as a wall model (EZR-WM).

| Туре | EZR | EZR-WM |
|----------------|----------|----------|
| Article number | 83206030 | 83206040 |
| Width / mm | 471 | 471 |
| Depth / mm | 408 | 245 |
| Height / mm | 920 | 830 |
| Voltage / VAC | 1x 230 | 1x 230 |
| Frequency / Hz | 50-60 | 50-60 |
| Power / kW | 0.3 | 0.3 |



SOLE AND SHOE SIDE CLEANER

EZR-DELUXE



The more rugged EZR-DELUXE has the properties of the EZR plus a number of extra advantages. The jerrycan holder is integrated into the frame, the brush is wider and the DELUXE version has adjustable feet. The EZR-DELUXE is also available as a wall model (EZR-DELUXE-WM).

| Туре | EZR-DELUXE | EZR-DELUXE-WM |
|----------------|------------|---------------|
| Article number | 83206030-D | 83206040-D |
| Width / mm | 697 | 697 |
| Depth / mm | 472 | 472 |
| Height / mm | 1186 | 1186 |
| Voltage / VAC | 3x 380-400 | 3x 380-400 |
| Frequency / Hz | 50-60 | 50-60 |
| Power / kW | 0.3 | 0.3 |



EZR DELUXE

WALKTHROUGH SHAFT CLEANER



Upon entering the unit, sensors automatically activate the rotation of the brushes and the shafts of your boots are cleaned.

| Туре | EDSW |
|----------------|------------|
| Article number | 83206005 |
| Width / mm | 890 |
| Height / mm | 1286 |
| Length / mm | 1645 |
| Voltage / VAC | 3x 380-400 |
| Frequency / Hz | 50-60 |
| Power / kW | 0.75 |



WALKTHROUGH SOLE AND SHAFT CLEANER

| EDLW | | |
|------|-----------------------------------|-----|
| | 4 Years Warranty on brushes | 304 |

When entering the unit, sensors activate the automatic rotation of the brushes and your soles and shafts are cleaned.

| 67 | Contraction of the Contraction o |
|---|--|
| Day 1 | The second s |
| | the state of the s |
| and the second se | and the second sec |
| and the second se | |
| | 11 |
| | |
| | and the second s |
| | and the second s |
| | and the second se |
| | and the second sec |
| | |
| | |
| | 27 |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | Manual Control States and States and |
| | |
| | |
| 100 | A CONTRACTOR OF |
| | and the second |
| | |
| Acres 100 | and the second se |
| | |
| 100 | |
| | |
| | Sector Se |
| | The second second |
| | EDLW |
| -01 | EDLVV |
| | |
| | |
| | |

| Туре | EDLW |
|----------------|------------|
| Article number | 83206000 |
| Width / mm | 890 |
| Height / mm | 1286 |
| Length / mm | 1645 |
| Voltage / VAC | 3x 380-400 |
| Frequency / Hz | 50-60 |
| Power / kW | 0.9 |

WALKTHROUGH SOLE AND SHAFT CLEANER



Upon entering the unit, sensors automatically activate the rotation of the brushes and your soles and shafts are cleaned. The DZSW is ideally suited for the cleaning and disinfection of heavily soiled boots.

| Туре | DZSW |
|----------------|------------|
| Article number | 83202290 |
| Width / mm | 890 |
| Height / mm | 1200 |
| Length / mm | 2225 |
| Voltage / VAC | 3x 380-400 |
| Frequency / Hz | 50-60 |
| Power / kW | 1.5 |



SOLE AND MANUAL SHAFT CLEANER



By placing the sole of your shoe on the brush and holding the handle at the same time, the sole is cleaned. The ELZW works via a sensor on the handle. You can clean the shafts manually using the ergonomic brush. The unit is compact and therefore fits easily into smaller spaces.

| Туре | ELZW |
|----------------|----------|
| Article number | 83206010 |
| Width / mm | 507 |
| Depth / mm | 545 |
| Height / mm | 898 |
| Voltage / VAC | 1x 230 |
| Frequency / Hz | 50-60 |
| Power / kW | 0.4 |



SOLE AND SHAFT CLEANER



When you place the sole of your shoe on the brush and hold the handle at the same time, the sole and boot sides are cleaned. The brushes activate via a sensor on the grip.

| Туре | EZSW |
|----------------|----------|
| Article number | 83206050 |
| Width / mm | 643 |
| Depth / mm | 638 |
| Height / mm | 1062 |
| Voltage / VAC | 1x 230 |
| Frequency / Hz | 50-60 |
| Power / kW | 0.6 |



ezsw

SOLE CLEANING









0___

EDSW Built-in model





SOLE DISINFECTION

Advantages of Elpress disinfection baths

The disinfection bath is filled with chemicals and the soles come into contact with the disinfectant as the user walks through. In the case of the DZD, the bath is automatically refreshed, which prevents excessive use of chemical.

- Automatically refreshed
- Economic use of chemicals
- Drip-off zone
- Hygienic finish, few welding seams and gaps

WALKTHROUGH SOLE DISINFECTION BATH



The DZD disinfects soles by means of a disinfection bath. The bath is automatically topped off with disinfectant and automatically refreshed after 25 passes.

| Туре | DZD-1000-R/L | DZD-1500-R/L |
|-------------------------|--------------|--------------|
| Article number (R) | 83203100 | 83203140 |
| Article number (L) | 83203120 | 83203160 |
| Width / mm | 901 | 901 |
| Height / mm | 1180 | 1180 |
| Length / mm | 1820 | 2335 |
| Disinfection bath / ltr | 34 | 37 |
| Voltage / VAC | 1x 230 | 1x 230 |
| Frequency / Hz | 50-60 | 50-60 |
| Power / kW | 0.1 | 0.1 |
| | | |



WALKTHROUGH SOLE DISINFECTION BATH

DISINFECTION BATH



In addition to the DZD, Elpress also has a simpler version of the disinfection bath. The bath is to be filled by hand and can be emptied by removing the stopper. The disinfection bath is also available as an built-in model.



| Туре | DESINFECTIEBAD-1200 |
|--------------------|---------------------|
| Article number (L) | 83203180 |
| Width / mm | 840 |
| Height / mm | 175 |
| Length / mm | 1200 |



6

Setting up and accessories

Alongside an extensive range of hygiene equipment, such as hygienic entrances and wash basins, Elpress also offers a range of matching accessories, including dispensers, paper baskets, soap dispensers, paper dispensers, waste bag holders and jerrycan trays.

HYGIENE ACCESSORIES

SOAP DISPENSERS







| Туре | Plastic soap dispenser | Infrared soap dispenser | Stainless steel soap dispenser |
|----------------|------------------------|-------------------------|--------------------------------|
| Article number | 78001220 | 78001230 | 78001201 |
| Width / mm | 115 | 110 | 92 |
| Depth / mm | 115 | 110 | 80 |
| Height / mm | 250 | 265 | 335 |
| Capacity / ml | 900 | 900 | 1000 |

HYGIENE ACCESSORIES

PAPER DISPENSERS





| Туре | Folded paper dispenser | Paper roll dispenser |
|----------------|----------------------------|----------------------|
| Article number | 78002015 | 78001301 |
| Width / mm | 270 | 278 |
| Depth / mm | 135 | 250 |
| Height / mm | 350 | 408 |
| Capacity | 600 sheets of folded paper | ø200 mm paper roll |

DISPENSERS







| Type Dis | posable d |
|--------------------|-----------|
| Article number 780 | 02005 |
| Width / mm 280 |) |
| Depth / mm 135 | |
| Height / mm 400 |) |
| Capacity 15 li | itres |


| le dispenser | Disposable dispenser | Universal dispenser |
|--------------|----------------------|---------------------|
| | 78002003 | 78001295 |
| | 140 | 280 |
| | 135 | 280 |
| | 400 | 280 |
| | 7.5 litres | 20 litres |
| | | |

HYGIENE ACCESSORIES

DISPENSERS







| Туре | Glove dispenser | Glove dispenser | Apron dispenser |
|----------------|-------------------|-------------------|------------------------------|
| Article number | 78001296 | 78001297 | 78002294 |
| Width / mm | 250 | 530 | 530 |
| Depth / mm | 100 | 100 | 70 |
| Height / mm | 400 | 300 | 200 |
| Capacity | 3 packs of gloves | 4 packs of gloves | Suitable for scouring aprons |

HYGIENE ACCESSORIES









| Туре | Open paper basket | Closed paper basket | Closed paper basket |
|----------------|-------------------|---------------------|---------------------|
| Article number | 78001325 | 78001307 | 78001307-1 |
| Width / mm | 350 | 350 | 400 |
| Depth / mm | 250 | 250 | 400 |
| Height / mm | 400 | 450 | 750 |
| Capacity | 35 litres | 40 litres | 120 litres |

WASTE BINS







| Туре | Waste bin with swing lid | Waste bin with foot pedal | Waste bin with foot pedal |
|----------------|--------------------------|---------------------------|---------------------------|
| Article number | 78002355 | 78001265 | 78001267 |
| Width / mm | 410 | 475 | 475 |
| Depth / mm | 310 | 400 | 400 |
| Height / mm | 750 | | |
| Capacity | 40 litres | 60 litres | 120 litres |

HYGIENE ACCESSORIES

WASTE BAG HOLDERS





| Туре | Waste bag holder | Waste bag holder, wall model |
|----------------|------------------|------------------------------|
| Article number | 78001303 | 78001311 |
| Width / mm | 530 | 355 |
| Depth / mm | 650 | 550 |
| Height / mm | 950 | 185 |
| Capacity | 120 litres | 120 litres |

HYGIENE ACCESSORIES

TOILET ROLL HOLDERS





| Туре | Toilet roll holder | Toilet roll holder |
|----------------|--------------------|--------------------|
| Article number | 78001270 | 78001275 |
| Width / mm | 125 | 120 |
| Depth / mm | 130 | 135 |
| Height / mm | 80 | 395 |
| Capacity | 1 toilet roll | 3 toilet rolls |

MISCELLANEOUS







| Туре | Wall lectern | Lockable jerrycan cover 20 litres | Lockable jerrycan cover 5 litres |
|----------------|-------------------------------|-----------------------------------|----------------------------------|
| Article number | 78001308 | 83207009 | 83206999 |
| Width / mm | 600 | 415 | |
| Depth / mm | 500 | 265 | |
| Height / mm | 100/200 | 310 | |
| Capacity | including storage compartment | for 20 litre jerrycans | for 5 litre jerrycans |

HYGIENE ACCESSORIES

HAND DRYERS

Туре

Article number Width / mm

Depth / mm

Height / mm



Dyson Airblade V™ White plastic 78002002 234 100 394



Dyson Airblade V[™] Sprayed nickel plastic

78002002-1

234

100

394



Dyson Airblade 9KJ™

| Stainless steel |
|-----------------|
| 78002029 |
| 450 |
| 100 |
| 500 |
| |

HYGIENE ACCESSORIES

KNIFE BASKETS







MHB-1-4 MHB-2-6 MHB-3-5 Type 78002278 78002277 78002279 Article number Width / mm 265 170 170 Depth / mm 100 70 70 Height / mm 500 490 490 Capacity 5 knives, 1 sharpening steel and 1 12 knives and 2 sharpening steels 10 knives, 2 sharpening steels and 1 glove tensioner glove tensioner

KNIFE STERILISER



The H010 has capacity for either 4 knives or 12 sharpening steels, with built-in boil-dry safeguard. The thermostatic control ensures a constant and accurate temperature. The unit is also designed for easy wall mounting.

| Туре | H010 |
|----------------|----------------------------------|
| Article number | 78002285 |
| Width / mm | 200 |
| Depth / mm | 193 |
| Height / mm | 490 |
| Capacity | 4 knives or 12 sharpening steels |



H010

HYGIENE ACCESSORIES

GLOVE PRE-CLEANER



When you put your hand with stainless steel butcher's gloves into the cleaner, a sensor activates the cleaning process with pressurised water. The EHW needs to be connected to 20 to 40 bar externally supplied water.

| Туре | EHW |
|----------------|----------|
| Article number | 78002275 |
| Width / mm | 300 |
| Depth / mm | 530 |
| Height / mm | 665 |
| Voltage / VAC | 1x 230 |
| Frequency / Hz | 50-60 |
| Power / kW | 0.1 |



BRUSH CLEANER



With the help of the cleaning gun and the flexible hose, you can clean various Elpress sole brushes. The water can be drained away using the ball valve mounted to the underside of the cleaning station. The brush cleaning station can also be used as a soaking bath to remove dirt.



| Туре | BRUSH CLEANING STATION 1000 |
|----------------|------------------------------------|
| Article number | 78002407 |
| Width / mm | 1230 |
| Depth / mm | 584 |
| Height / mm | 850 |
| Suitable for | Brushes up to 1000 mm |

| BRUSH CLEANING STATION 1500 |
|-----------------------------|
| 78002408 |
| 1730 |
| 584 |
| 850 |
| Brushes up to 1500 mm |

BRUSH CLEANING STATION 1000

APRON WASH PLACE



The apron wash place is suitable for manually cleaning aprons using a brush with water supply and spray gun. Boots can also be cleaned by hand by placing them on the floor grate.

| Туре | SWP |
|----------------|----------|
| Article number | 78000350 |
| Width / mm | 1277 |
| Depth / mm | 454 |
| Height / mm | 1800 |



SWP

APRON WASH PLACE WITH SOLE CLEANER



The apron wash place is suitable for manually cleaning aprons using a brush with water supply and spray gun. The soles of the shoes can also be automatically cleaned with the built-in sole cleaner.

| Туре | SWP-EZW |
|----------------|----------|
| Article number | 78000351 |
| Width / mm | 1588 |
| Depth / mm | 589 |
| Height / mm | 1816 |
| Voltage / VAC | 1x 230 |
| Frequency / Hz | 50-60 |
| Power / kW | 0.3 |





h









Elpress | Personal Hyg

DRYING AND STORAGE RACKS

Fast drying of boots, shoes and clogs with a boot dryer

A boot dryer lets you avoid a mess on the shop floor or in the stafflounge, as all the boots, shoes and clogs can be efficiently stored on the rack. What's more, Elpress boot dryers are sturdy by nature, space-saving and easy to expand with multiple racks. Choose from a wall or floor model; the wall-mounted model is easy to fix to the wall and is extremely hygienic as the structure does not touch the floor. Thanks to the automatic air supply, drying takes place extra fast.

Advantages of storage and drying racks

If hygiene matters to you, then you've come to the right place at Elpress. All our products, are specially developed for the food industry and thus have a perfect hygienic finish. We understand like no other that your shoes, boots or clogs need to be stored in a food-safe place to keep dirt and other bacteria out of your production area. Advantages:

- Saves space
- Made of stainless steel
- Available as a wall or floor model

BOOT DRYER OPTIONS:

- Air heating
- Ozone treatment
- Glove holder

BOOT DRYERS

ELD FLOOR MODEL

| ô | 555 | 304 |
|---|-----|-----|
| | | |

The boot dryers dry the inside of the boots, shoes or clogs by means of an efficient and silent fan. The air is optionally heated with an electrical heating element. The addition of an optional ozone treatment kills bacteria and neutralises odours.



| Туре | ELD-10 | ELD-20 | ELD-30 | ELD-40 |
|----------------|----------------------|----------------------|----------------------|----------------------|
| Article number | 78000333 | 78000321 | 78000323 | 78000326 |
| Capacity | 10 pairs | 20 pairs | 30 pairs | 40 pairs |
| Width / mm | 870 | 1306 | 1826 | 2346 |
| Depth / mm | 380 | 380 | 380 | 380 |
| Height / mm | 1840 | 1840 | 1840 | 1840 |
| Voltage / VAC | 1x 230 | 1x 230 | 1x 230 | 1x 230 |
| Frequency / Hz | 50-60 | 50-60 | 50-60 | 50-60 |
| Power / kW | Depending on options | Depending on options | Depending on options | Depending on options |


ELD-20 FLOOR MODEL

BOOT DRYERS

ELD WALL MODEL

| ŝ | <u></u> | Ŷ? | 304 | |
|---|---------|----|-----|--|

The boot dryers dry the inside of the boots, shoes or clogs by means of an efficient and silent fan. The air is optionally heated with an electrical heating element. The addition of an optional ozone treatment kills bacteria and neutralises odours.



| Туре | ELD-10 | ELD-20 | ELD-30 | ELD-40 |
|----------------|----------------------|----------------------|----------------------|----------------------|
| Article number | 78000332 | 78000320 | 78000322 | 78000324 |
| Capacity | 10 pairs | 20 pairs | 30 pairs | 40 pairs |
| Width / mm | 870 | 1286 | 1806 | 2326 |
| Depth / mm | 400 | 400 | 400 | 400 |
| Height / mm | 1840 | 1840 | 1840 | 1840 |
| Voltage / VAC | 1x 230 | 1x 230 | 1x 230 | 1x 230 |
| Frequency / Hz | 50-60 | 50-60 | 50-60 | 50-60 |
| Power / kW | Depending on options | Depending on options | Depending on options | Depending on options |

ELD-20 WALL MODEL

BOOT DRYERS

 ELD DOUBLE-SIDED

 Image: Im

The boot dryers dry the inside of the boots, shoes or clogs by means of an (optionally heated) air stream. Application of the optional ozone treatment kills bacteria and neutralises odours. Optionally available on castors.

| Туре | ELD-20/2 | ELD-30/2 | ELD-40/2 |
|----------------|----------------------|----------------------|----------------------|
| Article number | 78000327 | 78000328 | 78000329 |
| Capacity | 40 pairs | 60 pairs | 80 pairs |
| Width / mm | 1306 | 1826 | 2346 |
| Depth / mm | 700 | 700 | 700 |
| Height / mm | 1820 | 1820 | 1820 |
| Voltage / VAC | 1x 230 | 1x 230 | 1x 230 |
| Frequency / Hz | 50-60 | 50-60 | 50-60 |
| Power / kW | Depending on options | Depending on options | Depending on options |



BOOT STORAGE RACKS

ELR FLOOR MODEL



The boot storage racks are suitable for different quantities of boots, shoes and clogs.



| Туре | ELR-10 | ELR-20 | ELR-30 | ELR-40 |
|----------------|----------|----------|----------|----------|
| Article number | 78000152 | 78000145 | 78000160 | 78000174 |
| Capacity | 10 pairs | 20 pairs | 30 pairs | 40 pairs |
| Width / mm | 594 | 1114 | 1634 | 2154 |
| Depth / mm | 519 | 519 | 519 | 519 |
| Height / mm | 1830 | 1830 | 1830 | 1830 |


ELR-30 FLOOR MODEL

BOOT STORAGE RACKS

ELR WALL MODEL



The boot storage racks are suitable for different quantities of boots, shoes and clogs.



| Туре | ELR-10 | ELR-20 | ELR-30 | ELR-40 |
|----------------|----------|----------|----------|----------|
| Article number | 78000153 | 78000146 | 78000170 | 78000173 |
| Capacity | 10 pairs | 20 pairs | 30 pairs | 40 pairs |
| Width / mm | 520 | 1040 | 1560 | 2080 |
| Depth / mm | 427 | 427 | 427 | 427 |
| Height / mm | 1808 | 1808 | 1808 | 1808 |

ELR-20 WALL MODEL

BOOT STORAGE RACKS

ELR DOUBLE-SIDED



The boot storage racks are suitable for different quantities of boots, shoes and clogs. Optionally available on castors.

| Туре | ELR-20/2 | ELR-30/2 | ELR-40/2 |
|----------------|----------|----------|----------|
| Article number | 78000148 | 78000180 | 78000182 |
| Capacity | 40 pairs | 60 pairs | 80 pairs |
| Width / mm | 1114 | 1600 | 2346 |
| Depth / mm | 998 | 998 | 700 |
| Height / mm | 1830 | 1830 | 1830 |



OPTION FOR BOOT DRYING AND STORAGE RACKS

GLOVE HOLDER




The glove holder is intended for the drying or hanging of sturdy rubber or stainless steel gloves.

| Туре | C |
|----------------|---|
| Article number | 7 |
| Capacity | 1 |

GLOVE HOLDER 78002308 1 single glove





GLOVE HOLDER

APRON RACK

APRON RACK



The apron rack can support up to 12 apron hangers. The rack is made from stainless steel and has an ergonomic design.




| APRON | RACK | WALL | MODEL |
|-------|------|------|-------|
| | | | |

| Туре | APRON RACK FLOOR MODEL | APRON RACK WALL MODEL |
|----------------|------------------------|-----------------------|
| Article number | 78000355 | 78000361 |
| Capacity | 12 aprons | 10 aprons |
| Width / mm | 967 | 1190 |
| Depth / mm | 800 | 580 |
| Height / mm | 1845 | 471 |



DRYING AND STORAGE RACKS







Apron rack wall model

SOCIAL ROOM EQUIPMENT

Guaranteed and effective hygiene

In addition to the complete installation of the hygienic entrance itself, the social area also deserves the necessary attention. This is where employees can change clothes and prepare to enter the hygiene lock and then the production area. It is important to organise this area practically so that employees do not get in each other's way, especially when changing shift. First of all, take a good look at how employees move through the area, what actions they take and what they need to achieve. A logical layout can then be determined so that the hygiene process is guaranteed and carried out effectively.

TURNSTILE



A turnstile from Elpress enables you to apply an enforced hygiene process before entering the next areas. The model is available as a lefthand and right-hand version.

| Туре | T-R/L |
|--------------------|----------|
| Article number (R) | 83201035 |
| Article number (L) | 83201045 |
| Width / mm | 1455 |
| Depth / mm | 791 |
| Height / mm | 1207 |
| Voltage / VAC | 1x 230 |
| Frequency / Hz | 50-60 |
| Power / kW | 0.1 |



60

TURNSTILE WALL MODEL

T-WM



A turnstile from Elpress enables you to apply an enforced hygiene process before entering the next areas. This model is available is a wall model or floor model in combination with the floor-mounting frame. The model is available as a left-hand and right-hand version.

| Туре | T-WM-R/L | FLOOR-MOUNTING FRAME |
|--------------------|----------|----------------------|
| Article number (R) | 83201030 | 83201070 |
| Article number (L) | 83201040 | - |
| Width / mm | 890 | 400 |
| Depth / mm | 339 | 230 |
| Height / mm | 1229 | 1471 |
| Voltage / VAC | 1x 230 | - |
| Frequency / Hz | 50-60 | - |
| Power / kW | 0.1 | - |



T-WM-R on a floor-mounting frame.

REVOLVING GATE



The EPDK is motorised, reducing the amount of contact needed to set it in motion. The access control is double-sided, allowing access to be granted in both directions. It is also possible to disconnect the motor and allow operation in both directions as required.

| Туре | EPDK-3 | EPDK-4 |
|----------------|----------|----------|
| Article number | 79000658 | 79000658 |
| Capacity | 3-armed | 4-armed |
| Width / mm | 1643 | 1643 |
| Depth / mm | 1361 | 1361 |
| Height / mm | 2313 | 2313 |
| Voltage / VAC | 1x 230 | 1x 230 |
| Frequency / Hz | 50-60 | 50-60 |
| Power / kW | 0.1 | 0.1 |



EPDK-3

SWING GATE WITH MAGNETIC LOCK

SWING GATE



The swing gate is magnetically locked and can be remotely unlocked by using a push button.



SWING GATE 1000

| Туре | SWING GATE 1000 | SWING GATE 1100 | SWING GATE 1200 | SWING GATE 1300 | SWING GATE 1400 | SWING GATE 1500 |
|--------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Article number | 79000659-1000 | 79000659-1100 | 79000659-1200 | 79000659-1300 | 79000659-1400 | 79000659-1500 |
| Width / mm | 1000 | 1100 | 1200 | 1300 | 1400 | 1500 |
| Depth / mm | 187 | 187 | 187 | 187 | 187 | 187 |
| Height / mm | 1020 | 1020 | 1020 | 1020 | 1020 | 1020 |
| Passage Width / mm | 776 | 876 | 976 | 1076 | 1176 | 1276 |
| Voltage / VAC | 1x 230 |
| Frequency / Hz | 50-60 | 50-60 | 50-60 | 50-60 | 50-60 | 50-60 |
| Power / kW | 0.03 | 0.03 | 0.03 | 0.03 | 0.03 | 0.03 |

BENCH

STAINLESS STEEL BENCH



Our benches are produced with a stainless steel frame. This means a solid and hygienic construction with a white plastic surface for the user to sit on. The bench has adjustable feet and a shoe rack.



| Туре | BENCH 1000 | BENCH 1500 | BENCH 2000 | BENCH 3000 |
|----------------|------------|------------|------------|------------|
| Article number | 78001312 | 78001314 | 78001315 | 78001316 |
| Width / mm | 350 | 350 | 350 | 350 |
| Height / mm | 420 | 420 | 420 | 420 |
| Length / mm | 1000 | 1500 | 2000 | 3000 |

BENCH WITH COMPARTMENTS

BENCH



Our benches are produced with a stainless steel frame. This means a solid and hygienic construction with a white plastic surface for the user to sit on. The bench has pigeonhole shoe storage compartments



BENCH 24

| Туре | BENCH 12 | BENCH 24 |
|----------------|------------------------|-------------------------|
| Article number | 78001322 | 78001321 |
| Capacity | 2x 6 shoe compartments | 2x 12 shoe compartments |
| Width / mm | 600 | 600 |
| Height / mm | 500 | 500 |
| Length / mm | 1000 | 2000 |

COMPUTER CABINET

COMPUTER CABINET



The Elpress computer cabinet is suitable for accommodating your computer needs. The cabinet can be moved about on the mounted swivel castors.

| Туре | COMPUTER CABINET |
|----------------|------------------|
| Article number | 78002271 |
| Width / mm | 1260 |
| Depth / mm | 915 |
| Height / mm | 1800 |



COMPUTER CABINET

STORAGE AND CLOTHING CABINETS



The cabinets are made of stainless steel and have adjustable feet and a hygienic slanting top. The cabinets are optionally available with a flat top.

| Туре | FI-2003 | FI-1013 | FI-1002-2 |
|----------------|----------------|-------------------|-------------------|
| Article number | 78001346 | 78001351 | 78001354 |
| Capacity | 2 compartments | 2x 2 compartments | 2x 2 compartments |
| Width / mm | 950 | 950 | 350 |
| Depth / mm | 500 | 500 | 400 |
| Height / mm | 2160 | 2160 | 2000 |



FI-1013

MULTI-COMPARTIMENT CLOTHING CABINETS



The cabinets are made of steel and have a rail for clothes hangers, a partition wall, storage shelf, ventilation slots and a name card holder. The standard colour is grey. The cabinets are optionally available with a slanting top and in 4 colours (RAL): blue, yellow, red and anthracite.



| Туре | SP-111 | SP-222 | SP-333 | SP-444 |
|----------------|----------------------------|----------------------------|----------------------------|----------------------------|
| Article number | 78200014 | 78200015 | 78200016 | 78200017 |
| Capacity | 1 persons / 2 compartments | 2 persons / 4 compartments | 3 persons / 6 compartments | 4 persons / 8 compartments |
| Width / mm | 322 | 615 | 907 | 1200 |
| Depth / mm | 500 | 500 | 500 | 500 |
| Height / mm | 1800 | 1800 | 1800 | 1800 |

UNIVERSAL CLOTHING CABINETS

EΡ

The cabinets are made of steel and have a rail for clothes hangers, a partition wall, storage shelf, ventilation slots and a name card holder. The standard colour is grey and the cabinets are optionally available with a slanting top and in 4 colours (RAL): blue, yellow, red and anthracite.



EP-102

| Туре | EP-102 | EP-104 | EP-201 | EP-202 |
|----------------|---------------------------|----------------------------|---------------------------|----------------------------|
| Article number | 78200005 | 78200007 | 78200008 | 78200009 |
| Capacity | 1 person / 2 compartments | 4 persons / 4 compartments | 1 person / 2 compartments | 2 persons / 4 compartments |
| Width / mm | 615 | 1200 | 420 | 810 |
| Depth / mm | 500 | 500 | 500 | 500 |
| Height / mm | 1800 | 1800 | 1800 | 1800 |

WARDROBE WITH COMPARTMENTS

WARDROBE



The wardrobe is made with a stainless steel frame. The legs are finished with adjustable feet for easy setting of the ideal height. The wardrobe has a good number of clothes hooks for a simple way to hang clothing. The wardrobe also has 10 storage compartments.

| Туре | WARDROBE |
|----------------|-----------------|
| Article number | 78001323 |
| Capacity | 10 compartments |
| Width / mm | 400 |
| Height / mm | 2310 |
| Length / mm | 1500 |



WARDROBE



SOCIAL ROOM EQUIPMENT

SWING GATE 1000

Swing gate EPDK-4

11

Various BENCHES 24





NOTES

| |
|------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

Augu

ELECER



Since 1976 🎔 for hygiene

Elpress is the leading manufacturer in the field of industrial hygiene. Our focus is on the delivery of total solutions: customer-focused products that are expertly integrated into your business process. By simplifying processes and sharing knowledge, we can add value to your business with a complete product package.

Our many years of experience have resulted in highquality products. Their reliability and ease of use have already been proven in the field. With the wide range of possibilities offered by our products, we offer a solution for every challenge.

We have a Passion for Hygiene!

Elpress BV

Handelstraat 21 Industriegebied Saxe Gotha NL-5831 AV Boxmeer The Netherlands T +31 (0)485 51 69 69 E sales@elpress.com W www.elpress.com.



Visit our website